TABLE OF CONTENTS

Part I ARTICLES

CHAPTER 1 INTRODUCTION

- Article 1 Scope of application for the Instruction and prior considerations
 - 1.1 Certification and quality marks
- Article 2 Definitions
- Article 3 Units, sign convention and notation
- Article 4 Project Documents
 - 4.1 General
 - 4.2 Project Report
 - 4.2.1 General Norms
 - 4.2.2 Design Appendix
 - 4.2.3 Computer Calculations
 - 4.2.3.1 The use of computer programs
 - 4.2.3.2 The presentation of data and results
 - 4.3 Drawings
 - 4.4 Document Containing Particular Technical Specifications
 - 4.5 Budget
 - 4.6 Works programme
 - 4.7 Project modifications
 - 4.8 The preferential application of public administration contract legislation
 - 4.9 Final works documentation

SECTION 1 DESIGN BASIS

CHAPTER II GENERAL PRINCIPLES AND THE LIMIT STATE METHOD

- Article 5 Essential Requirements
- Article 6 Safety criteria
 - 6.1 Principles
 - 6.2 Structural verification through calculation procedures
 - 6.3 Structural verification through testing methods
- Article 7 Design situations
- Article 8 Design basis
 - 8.1 The Limit State Method

- 8.1.1 Limit States
- 8.1.2 Ultimate Limit States
- 8.1.3 Serviceability Limit States
- 8.2 Durability-oriented design basis
 - 8.2.1 Definition of the environment type
 - 8.2.2 General environmental exposure classes in relation to reinforcement corrosion.
 - 8.2.3 Specific environmental exposure classes in relation to degradation processes other than that of corrosion

CHAPTER III ACTIONS

- Article 9 Action classification
 - 9.1 Classification according to nature
 - 9.2 Classification according to variation with time.
 - 9.3 Classification of actions according to variation in space.
- Article 10 The characteristic values of actions
 - 10.1 General
 - 10.2 The characteristic values of permanent actions
 - 10.3 Characteristic values of permanent actions with non-constant values
 - 10.4 Prestressing action characteristic values
 - 10.4.1 General considerations
 - 10.4.2 Prestressing force characteristic value
- Article 11 The representative values of actions
- Article 12 Design values of actions
 - 12.1 Ultimate Limit States
 - 12.2 Serviceability Limit States
- Article 13 Combination of actions
 - 13.1 General principles
 - 13.2 Ultimate Limit States
 - 13.3 Serviceability Limit States

CHAPTER IV MATERIALS AND GEOMETRY

- Article 14 Principles
- Article 15 Materials
 - 15.1 Characteristic values
 - 15.2 Design values
 - 15.3 Partial safety factors for materials
- Article 16 Geometry
 - 16.1 Characteristic and design values
 - 16.2 Imperfections

SECTION 2 STRUCTURAL ANALYSIS

CHAPTER V STRUCTURAL ANALYSIS

- Article 17 General
- Article 18 Idealization of the structure
 - 18.1 Structural models
 - 18.2 Geometric data
 - 18.2.1 Effective flange width in linear members
 - 18.2.2 Design spans
 - 18.2.3 Cross sections
 - 18.2.3.1 General considerations
 - 18.2.3.2 18.2.3.3 Gross cross section
 - Net cross section
 - 18.2.3.4 Transformed cross section
 - 18.2.3.5 Cracked cross section
- Article 19 Design methods
 - **Basic principles** 19.1
 - 19.2 Types of analysis
 - 19.2.1 Linear analysis
 - 19.2.2 Non-linear analysis
 - 19.2.3 Linear analysis with limited redistribution
 - 19.2.4 Plastic analysis
- Article 20 Prestressing structural analysis
 - 20.1 General considerations
 - 20.1.1 Definition of prestressing
 - 20.1.2 Types of prestressing
 - 20.2 Prestressing force
 - 20.2.1 Force limitation
 - 20.2.2 Losses in post-tensioned members
 - Evaluation of instantaneous losses of force 20.2.2.1
 - 20.2.2.1.1 Prestress losses due to friction
 - 20.2.2.1.2 Prestress losses due to wedge draw-in
 - 20.2.2.1.3 Prestress losses due to elastic shortening of the
 - concrete
 - 20.2.2.2 Time-dependent prestress losses
 - 20.2.3 Prestress losses in pre-tensioned members
 - 20.3 The structural effects of prestressing
 - 20.3.1 Modelling of prestressing effects using equivalent forces
 - 20.3.2 Modelling of prestressing effects by means of imposed deformations
 - 20.3.3 Prestressing isostatic and hyperstatic forces
- Article 21 Frames
 - 21.1 General

- 21.2 Linear analysis
- 21.3 Non-linear analysis
 - 21.3.1 General
 - 21.3.2 Analysis levels and models
 - 21.3.3 Material behavioural models
 - 21.3.4 General method of non-linear analysis considering the second order effects
 - 21.3.5 Simplified methods of considering second-order effects
- 21.4 Linear analysis with limited redistribution
- 21.5 Plastic analysis
- Article 22 Slabs
 - 22.1 General
 - 22.2 Linear analysis
 - 22.3 Non-linear analysis
 - 22.4 Simplified methods for slabs on point supports
 - 22.4.1 General
 - 22.4.2 Definitions
 - 22.4.3 Direct method
 - 22.4.3.1 Scope
 - 22.4.3.2 Internal forces in critical sections
 - 22.4.4 Equivalent frame method
 - 22.4.4.1 Scope
 - 22.4.4.2 Stiffness specifications of beams and supports in equivalent frames
 - 22.4.5 Criteria for slab moment distribution
 - 22.4.6 Distribution criteria for moments between slab and supports
- Article 23 Membranes and shells
 - 23.1 General
 - 23.2 Types of structural analysis
- Article 24 D regions
 - 24.1 General
 - 24.2 Types of structural analysis
 - 24.2.1 Linear analysis
 - 24.2.2 Strut and tie method
 - 24.2.3 Non-linear analysis

Article 25 Time analysis

- 25.1 General considerations
- 25.2 General Method
- 25.3 Coefficient of ageing method
- 25.4 Simplifications

SECTION 3. TECHNOLOGICAL PROPERTIES OF MATERIALS CHAPTER VI MATERIALS

- Article 26 Cements
 - 26.1 Usable cements

- 26.2 Supply
- 26.3 Storage
- Article 27 Water
- Article 28 Aggregates
 - 28.1 General
 - 28.2 Aggregate designation and sizes
 - 28.3 Requirements and tests
 - 28.3.1 Physical-chemical requirements
 - 28.3.2 Physical-mechanical requirements
 - 28.3.3 Aggregate grading and shape
 - 28.4 Supply
 - 28.5 Storage
- Article 29 Other concrete constituents
 - 29.1 Admixtures
 - 29.2 Additions
 - 29.2.1 Fly ash requirements and tests
 - 29.2.2 Silica fume requirements and tests
 - 29.2.3 Supply and storage
- Article 30 Concrete
 - 30.1 Composition
 - 30.2 Quality conditions
 - 30.3 Mechanical properties
 - 30.4 Conversion factors
 - 30.5 Minimum strength value
 - 30.6 Concrete workability
- Article 31 Reinforcement
 - 31.1 General
 - 31.2 Ribbed bars
 - 31.3 Wire fabrics
 - 31.4 Lattice girders
 - 31.5 Supply
 - 31.5.1 Certified products
 - 31.5.2 Non-certified products
 - 31.6 Storage

Article 32 Prestressing reinforcement

- 32.1 General
- 32.2 Mechanical properties
- 32.3 Wires
- 32.4 Bars
- 32.5 Strands
- 32.6 Supply
 - 32.6.1 Certified products
 - 32.6.2 Non-certified products
- 32.7 Storage

- Article 33 Prestressing systems
- Article 34 Anchoring and coupling devices for post-tensioned reinforcement
 - 34.1 Anchorage properties
 - 34.2 Couplings
 - 34.3 Supply and storage
- Article 35 Sheaths and accessories
- Article 36 Grouting products
 - 36.1 General
 - 36.2 Bonding grouts
 - 36.3 Non-bonding grouts

CHAPTER VII DURABILITY

- Article 37 Durability of concrete and reinforcements.
 - 37.1 General
 - 37.1.1 The consideration of durability on design
 - 37.1.2 The consideration of durability during the execution
 - 37.2 Durability strategy
 - 37.2.1 General requirements
 - 37.2.2 The selection of structural form
 - 37.2.3 Requirements in relation to the quality of the concrete
 - 37.2.4 Cover to reinforcement
 - 37.2.5 Spacers
 - 37.2.6 Maximum crack width
 - 37.2.7 Special protection measures
 - 37.3 Concrete durability
 - 37.3.1 Composition and performance requirements of concrete
 - 37.3.2 Limitations to water and cement contents
 - 37.3.3 Frost resistance of concrete
 - 37.3.4 Concrete Resistance to sulphate attack.
 - 37.3.5 Resistance of concrete to seawater attack
 - 37.3.6 Erosion resistance of concrete
 - 37.3.7 Resistance to alkali-aggregate reactivity
 - 37.4 Steel Reinforcement corrosion
 - 37.4.1 Reinforcement corrosion
 - 37.4.2 Prestressing reinforcement corrosion
 - 37.4.3 Protection and maintenance of prestressing reinforcement and anchorages

SECTION 4 DESIGN OF SECTIONS AND STRUCTURAL ELEMENTS

CHAPTER VIII DATA FOR PROJECT MATERIALS

Article 38 Steel properties 38.1 General

- 38.2 Characteristic stress-strain diagram for reinforcing steel
- 38.3 Design strength of passive reinforcement steel
- 38.4 Design stress-strain diagram for reinforcing steel
- 38.5 Characteristic stress-strain diagram for prestressing reinforcement
- 38.6 Design strength of prestressing reinforcement
- 38.7 Design stress-strain diagram for prestressing reinforcement
- 38.8 The modulus of elasticity of prestressing steel for active reinforcement
- 38.9 Relaxation of prestressing reinforcement
- 38.10 Fatigue characteristics of reinforcement
- 38.11 Fatigue characteristics of anchoring and coupling devices for prestressing reinforcement.
- Article 39 Concrete properties
 - 39.1 Definitions
 - 39.2 Grading of concretes
 - 39.3 Characteristic stress-strain diagram for concrete.
 - 39.4 Concrete design strength.
 - 39.5 Design stress-strain diagram for concrete
 - 39.6 Modulus of elasticity of concrete
 - 39.7 Concrete shrinkage
 - 39.8 Concrete creep
 - 39.9 Poisson's ratio
 - 39.10 Coefficient of thermal expansion

CHAPTER IX STRENGTH CAPACITY OF STRUTS, TIES AND NODES

- Article 40 Strength capacity of struts, ties and nodes
 - 40.1 General
 - 40.2 Strength capacity of ties consisting of reinforcement bars.
 - 40.3 Strength capacity of struts.
 - 40.3.1 Concrete struts in regions of uniaxial compression.
 - 40.3.2 Concrete struts with diagonal or parallel cracking to the strut.
 - 40.3.3 Concrete struts with reinforcement under compression.
 - 40.3.4 Confined concrete struts
 - 40.3.5 Struts with interference from prestressing ducts
 - 40.4 Strength capacity of nodes.
 - 40.4.1 General
 - 40.4.2 Multi-compressed nodes.
 - 40.4.3 Nodes with anchored ties.

CHAPTER X. DESIGN IN RELATION TO ULTIMATE LIMIT STATES

- Article 41 Equilibrium Limit State.
- Article 42 Limit state of failure due to normal stresses
 - 42.1 General design principles
 - 42.1.1 Section definition

42.1.1.1 Section dimensions

- 42.1.1.2 Resistant section
- 42.1.2 Basic hypotheses
- 42.1.3 Strain envelopes
- 42.1.4 Section analysis
- 42.2 Special cases
 - 42.2.1 Minimum eccentricity
 - 42.2.2 The effect of confined concrete
 - 42.2.3 Prestressing steel without bond
- Reinforcement arrangement 42.3
 - 42.3.1 General
 - 42.3.2 Pure or combined bending
 - 42.3.3 Pure or combined compression
 - 42.3.4 Pure or combined tension
 - 42.3.5 Minimum amount of reinforcement
- Article 43 Instability Limit State
 - 43.1 General
 - 43.1.1 Scope
 - 43.1.2 Definitions
 - 43.2 General Method
 - 43.3 Non-sway structure verification
 - 43.4 Sway structure verification
 - 43.5 Verification of isolated supports
 - 43.5.1 General Method
 - 43.5.2 Approximate method. Axial combined bending
 - 43.5.3 Approximate method. Bi-axial combined bending
- Article 44 Limit state of failure due to shear
 - 44.1 General considerations
 - Shear strength of linear elements, slabs and flat slabs 44.2
 - 44.2.1 Definition of design section
 - 44.2.2 Effective shear force
 - 44.2.3 Required verifications
 - 44.2.3.1 Calculation of V_{u1}
 - The calculation of $V_{\mu 2}$ 44.2.3.2
 - 44.2.3.2.1 Members without shear reinforcement
 - 44.2.3.2.2 Members with shear reinforcement
 - Special loading cases 44.2.3.3
 - 44.2.3.4 Reinforcement arrangement
 - 44.2.3.4.1 Transverse reinforcement
 - 44.2.3.4.2 Longitudinal reinforcement
 - Longitudinal shear between flanges and web of a beam 44.2.3.5
- Article 45 Limit State of Failure due to torsion in linear elements
 - 45.1 General considerations
 - 45.2 Pure torsion
 - 45.2.1 Definition of design section
 - 45.2.2 Verifications that should be performed
 - 45.2.2.1 Obtaining T_{u1}

- 45.2.2.2 Obtaining T_{u2}
- 45.2.2.3 Obtaining T_{u3}
- 45.2.2.4 Warping caused by torsion
- 45.2.3 Reinforcement arrangement
- 45.3 Interaction between torsion and other stresses
 - 45.3.1 General Method
 - 45.3.2 Simplified methods
 - 45.3.2.1 Torsion combined with bending and axial stress45.3.2.2 Torsion combined with shear
- Article 46 Punching Limit State
 - 46.1 General considerations
 - 46.2 Flat slabs without reinforcement for punching shear
 - 46.3 Flat slabs with reinforcement for punching shear
 - 46.3.1 Area with reinforcement for punching shear
 - 46.3.2 Area outside the punching shear reinforcement
 - 46.4 Maximum strength
 - 46.5 Reinforcement arrangement
- Article 47 Limit State of Failure due to longitudinal shear at joints between concretes
 - 47.1 General
 - 47.2 Longitudinal shear force resistance in joints between concretes
 - 47.3 Reinforcement arrangement
- Article 48 Fatigue Limit State
 - 48.1 Principles
 - 48.2 Verifications to be performed
 - 48.2.1 Concrete
 - 48.2.2 Reinforcing and prestressing steel

CHAPTER XI DESIGN IN RELATION TO SERVICEABILITY LIMIT STATES

- Article 49 Cracking Limit State
 - 49.1 General considerations
 - 49.2 Cracking due to perpendicular stresses
 - 49.2.1 The appearance of cracks due to compression
 - 49.2.2 Decompression Limit State
 - 49.2.3 Cracking due to tension. Verification criteria
 - 49.2.4 Maximum values for crack width
 - 49.2.5 General method for calculating crack width
 - 49.3 Limitation of cracking due to shear stress
 - 49.4 Limitation of cracking due to torsion
- Article 50 Deformation Limit State
 - 50.1 General considerations
 - 50.2 Elements subjected to pure or combined bending stress
 - 50.2.1 General Method
 - 50.2.2 Simplified method
 - 50.2.2.1 Minimum depths

- 50.2.2.2 Calculation of instantaneous deflection
- 50.2.2.3 Calculation of time-dependent deflection
- 50.3 Elements subjected to torsional stress
- 50.4 Elements subjected to pure tension

Article 51 Vibration Limit State

- 51.1 General considerations
- 51.2 Dynamic behaviour

CHAPTER XII STRUCTURAL ELEMENTS

Article 52 Plain concrete structural elements

- 52.1 Scope of application
- 52.2 The concretes that may be employed
- 52.3 Design actions
- 52.4 Design of sections under compression
- 52.5 Design of sections under compression and shear stress
- 52.6 Consideration of slenderness
 - 52.6.1 Virtual width
 - 52.6.2 Effective buckling length.
 - 52.6.3 Slenderness
 - 52.6.4 Fictitious eccentricity
- Article 53 Floor slabs
- Article 54 Beams
- Article 55 Columns
- Article 56 Slabs or flat slabs 56.1 Slabs or flat slabs on continuous supports
 - 56.2 Slabs or flat slabs on single supports
- Article 57 Walls
- Article 58 Shells
- Article 59 Foundation elements
 - 59.1 General
 - 59.2 The classification of structural concrete foundations
 - 59.2.1 Rigid foundations
 - 59.2.2 Flexible foundations
 - 59.2.3 Other foundation elements
 - 59.3 General design criteria
 - 59.4 Verification of elements and reinforcement dimensioning
 - 59.4.1 Rigid foundations
 - 59.4.1.1 Rigid footings
 - 59.4.1.2 Rigid pile caps
 - 59.4.1.2.1 Pile caps on two piles

59.4.1.2.1.1 Main reinforcement

CONTENTS - 10

- 59.4.1.2.1.2 Secondary reinforcement
- 59.4.1.2.2 Pile caps covering several piles
 - 59.4.1.2.2.1 Main and horizontal secondary reinforcement
 - 59.4.1.2.2.2 Vertical secondary reinforcement
- 59.4.2 Flexible foundations
 - 59.4.2.1 Flexible footings and pile caps
 - 59.4.2.1.1 Bending design
 - 59.4.2.1.1.1 Reference section S_1
 - 59.4.2.1.1.1.1. Calculation of the bending moment
 - 59.4.2.1.1.1.2. Determination of the reinforcement
 - 59.4.2.1.1.2 Layout of reinforcement
 - 59.4.2.1.2 Design for tangential stresses
 - 59.4.2.1.2.1 Design for shear
 - 59.4.2.1.2.2 Design for punching shear
 - 59.4.2.1.3 Cracking verification
 - 59.4.2.2 Raft foundations
- 59.5 Centring and tie beams
- 59.6 Piles
- 59.7 Plain concrete footings
- 59.8 Minimum dimensions and reinforcement for footings, pile caps and raft foundations 59.8.1 Minimum depths and dimensions
 - 59.8.2 Layout of reinforcement
 - 59.8.3 Minimum vertical reinforcement
- Article 60 Concentrated loads on solid blocks
 - 60.1 General
 - 60.2 Verifying nodes and struts
 - 60.3 Transverse reinforcement
 - 60.4 Reinforcement distribution criteria
- Article 61 Anchoring zones
- Article 62 Deep beams
 - 62.1 General
 - 62.2 Minimum width
 - 62.3 Simply supported deep beams
 - 62.3.1 Determination of the reinforcement
 - 62.3.2 Verifying nodes and struts
 - 62.4 Continuous deep beams
 - 62.4.1 Dimensioning the reinforcement
 - 62.4.2 Verifying nodes and struts
- Article 63 Corbels
 - 63.1 Definition
 - 63.2 Verifying elements and reinforcement dimensioning
 - 63.2.1 Verifying nodes and struts and the reinforcement design
 - 63.2.1.1 Dimensioning the reinforcement
 - 63.2.1.2 Verifying nodes and struts
 - 63.2.1.3 Reinforcement anchorage
 - 63.3 Suspended loads

Article 64 Members subjected to bursting forces

SECTION 5 EXECUTION

CHAPTER XIII EXECUTION

- Article 65 Falsework, formwork and moulds
- Article 66 Bar bending and the placement of steel reinforcement
 - 66.1 General
 - 66.2 Spacer distribution
 - 66.3 Steel reinforcement bending
 - 66.4 Spacing between reinforcing bars 66.4.1 Individual bars 66.4.2 Bundles of bars
 - 66.5 Anchorage of reinforcing bars
 - 66.5.1 General
 - 66.5.2 Anchorage of ribbed bars
 - 66.5.3 Special rules for bundles of bars
 - 66.5.4 Anchorage for wire fabrics
 - 66.6 Reinforcement splices
 - 66.6.1 General
 - 66.6.2 Splices by overlapping of bars
 - 66.6.3 Lapping of bundles of bars
 - 66.6.4 Lapping of wire fabrics
 - 66.6.5.Welded splices
 - 66.6.6 Splices by mechanical devices
- Article 67 Placing and tensioning of prestressing steel
 - 67.1 General
 - 67.2 Placing of prestressing steel
 - 67.3 Prestressign steel spacing 67.3.1 Pre-tensioned reinforcement 67.3.2.Post-tensioned reinforcement
 - 67.4 Bonding of prestressing steel to the concrete
 - 67.5 Prestressing steel splices
 - 67.6 Location of anchorage devices
 - 67.7 Placing of deflectors
 - 67.8 Tensioning of prestressing steel
 - 67.8.1 General
 - 67.8.2 Tensioning programme
 - 67.8.3 Maximum permissible initial stress in the reinforcement
 - 67.8.4 Tensioning control. Elongation
 - 67.8.5 Re-tensioning of post-tensioned reinforcement
 - 67.8.6 Stress transfer in pre-tensioned reinforcement
- Article 68 Concrete composition

- Article 69
 - 9 Production and transport to site
 - 69.1 General requirements
 - 69.2 Concrete produced at plant
 - 69.2.1 General
 - 69.2.2 Storage of constituent materials.
 - 69.2.3 Batching equipment.
 - 69.2.4 Storage for raw materials.
 - 69.2.4.1 Cement
 - 69.2.4.2 Aggregates
 - 69.2.4.3 Water
 - 69.2.4.4 Admixtures
 - 69.2.4.5 Additions
 - 69.2.5 Mixing equipment
 - 69.2.6 Mixing
 - 69.2.7 Transport
 - 69.2.8 Designation and properties
 - 69.2.9 Delivery and acceptance
 - 69.2.9.1 Documentation
 - 69.2.9.2 Acceptance
 - 69.3 Concrete not produced at plant
- Article 70 Concreting
 - 70.1 Placing
 - 70.2 Compaction.
 - 70.3 Special techniques
- Article 71 Concrete construction joints
- Article 72 Cold weather concreting
- Article 73 Hot weather Concreting
- Article 74 Concrete curing
- Article 75 Removal of formwork, falsework and moulds
- Article 76 Surfaces finishing
- Article 77 Continuity joints between precast elements
- Article 78 Grouting
 - 78.1 General
 - 78.2 Preparation of the grout mixture
 - 78.3 Grouting programme
 - 78.4 Grouting execution
 - 78.5 Inspection
 - 78.6 Safety measures

- Article 79
- General observations with regards to the execution Making the construction process conform to the project 79.1
 - 79.2 Mechanical actions during execution

SECTION 6 CONTROL

CHAPTER XIV GENERAL BASES FOR QUALITY ASSURANCE

Article 80 Quality control

CHAPTER XV MATERIALS CONTROL

- Article 81 Control of the concrete components 81.1 Cement 81.1.1 Specifications 81.1.2 Tests 81.1.3 Criteria for acceptance or rejection 81.2 Mixing water 81.2.1 Specifications 81.2.2 Tests 81.2.3 Criteria for acceptance or rejection 81.3 Aggregates 81.3.1 Specifications 81.3.2 Tests 81.3.3 Criteria for acceptance or rejection Other components in concrete 81.4 81.4.1 Specifications 81.4.2 Tests 81.4.3 Criteria for acceptance or rejection Article 82 Concrete quality control Concrete consistency control Article 83 83.1 Specifications 83.2 Tests 83.3 Conformity Criteria Article 84 Concrete strength control Article 85 Specifications control in relation to concrete durability 85.1 Specifications 85.2 Controls and tests 85.3 Assessment criteria Article 86 Initial tests on the concrete Article 87 Characteristic tests on the concrete Article 88 Statistical control of the concrete 88.1 General 88.2 Reduced-level control 88.3 100% control Statistical concrete control 88.4 88.5 Decisions resulting from strength control
- Article 89 Concrete tests providing additional information

- Article 90 Steel quality control
 - 90.1 General
 - 90.2 Reduced-level control
 - 90.3 Normal-level control 90.3.1 Certified products 90.3.2 Non-certified products
 - 90.4 Verifying weldability
 - 90.5 Acceptance or rejection conditions for steel
- Article 91 The control of anchoring and coupling devices for post-tensioned reinforcement
- Article 92 Control of sheaths and accessories for prestressing steel
- Article 93 Control of the tensioning equipment
- Article 94 Grouting control

CHAPTER XVI EXECUTION CONTROL

- Article 95 Inspection of execution
 - 95.1 General
 - 95.2 Intense level of inspection
 - 95.3 Normal-level of inspection
 - 95.4 Reduced-level of inspection
 - 95.5 Application of the inspection levels
- Article 96 Execution tolerances
- Article 97 Inspection of tensioning
- Article 98 Inspection of grouting
- Article 99 Additional information tests on the structure
 - 99.1 General
 - 99.2 Load tests
 - 99.3 Other non-destructive tests

PART II APPENDICES

- Appendix 1 Notation
- Appendix 2 List of UNE standards
- Appendix 3 General recommendations for the use of cement specified in RC-97, Cement Reception Instruction
- Appendix 4 Specifications for the use of calcium aluminate cement
- Appendix 5 Test methods for determining the aggressiveness of water and soil towards concrete
- Appendix 6 Test method for determining the grouting stability
- Appendix 7 Recommendations for additional fire protection of structural elements
- Appendix 8 Simplified calculation of sections in Failure Limit State due to perpendicular actions
- Appendix 9 Analysis of in-service cracked sections subject to pure bending
- Appendix 10 Tolerances
- Appendix 11 Recommendations for high-strength concrete
- Appendix 12 Special requirements recommended for structures subject to seismic action
- Appendix 13 National Document for the Application of the UNE ENV 1992-1-1 Experimental Standard.